


# Use of tobacco industry products in Canada and Sweden.

July 2024



	Canada	Men	Women	Both sexes
<b>Cigarette smoking</b>		12.9 (± 1.3)	9.1 (± 1.0)	10.9 (± 0.8)
<b>Oral tobacco/chewing tobacco/snuff</b>		1.1 (± 0.4)	0.1 (± 0.1)	0.6 (± 0.2)
<b>E-cigarettes/Vaping</b>		6.5 (± 0.8)	5.0 (± 0.7)	5.8 (± 0.6)
<b>At least one of above</b>		18.1	12.5	15.0

Source: Canadian Tobacco and Nicotine Survey, 2022. Public Use Microfile and Tables provided by Health Canada. <https://www.canada.ca/en/health-canada/services/canadian-tobacco-nicotine-survey/2022-summary/2022-detailed-tables.html#tbl5>

	Sweden	Men	Women	Both sexes
<b>Cigarette smoking</b>		13	12	12
<b>Oral tobacco/chewing tobacco/snuff</b>		28	11	20
<b>E-cigarettes/Vaping</b>		4	4	4
<b>At least one of above</b>		36	23	30


Source: Zetterqvist M. Självrapporterade rök- och snusvanor 2003–2022. Stockholm: Centraförbundet för alkohol- och narkotikaupplysning (CAN); 2023. PM.

Physicians *for a* Smoke-Free Canada

134 Caroline Avenue ♦ Ottawa ♦ Ontario ♦ K1Y 0S9  
[www.smoke-free.ca](http://www.smoke-free.ca) ♦ [psc@smoke-free.ca](mailto:psc@smoke-free.ca)

Prevalence (% of population) of past-month nicotine product use in Sweden and Canada, 2022

**MEN**



Prevalence (% of population) of past-month nicotine product use in Sweden and Canada, 2022

**WOMEN**

